



Safety Track

ST-203 DashCam System

Quick Install guide



A quick guide on how to install your new system with an optional 3rd cam.

Table of Contents

Unpacking the Box	3
Installation Steps	4
Contact Support	6



This is a step by step guide that will walk you through installing your new ST-203 Dash Cam System.

If you have any questions regarding this quick guide please contact our support team at support@safetytrack.net or dial 734-325-6060.

Unpacking the Box

The contents of each box are as follows:

1. ST-203 Dash Cam
2. Power Harness
3. GPS Antenna (Square Shaped Antenna)
4. 4G Antenna (Blade Shaped Antenna)
5. Mounting Plate with 3M double sided tape to secure

*Note: SD Card is already pre-installed in your system. If you need to remove the SD card for any reason you will need a small Phillips screwdriver to remove the side plate.



Installation Steps

Step 1:


Consider and understand your mounting location for the DashCam as well as your 3rd camera if applicable. The most common placement of the Dash Cam is under the rearview mirror on most vehicles.

*Please check your state and local laws if this placement will suffice.

Below is an example placement in a Ford Explorer:



Step 2:



Locate your power source and run cable back to your Dashcam.

3 Wire Installation (Wires are labeled)

RED = 12V DC POWER

BROWN = ACC / IGNITION

BLACK = GROUND

Step 3:

Mount your GPS and 4G antenna.

Below are example mounting locations. The key for the antennas is a clear sightline to the sky for an optimum signal. Run cables back to your DashCam.



GPS Mounting Location on
Vehicle Dash



4G Antenna Mounting Location
on upper windshield

 Safety Track

Step 4:

Test mount your DashCam before sticking it down. Our suggestion would be to connect all cables, power on by starting the vehicle and pull up the [Safety Track Fleet App](#) and check your view. There is a single adjustment screw on the mount of the camera to slightly adjust the angle. Also be mindful you are within the wiper blade path.



Step 5:

Once your device is connected to power and you turn on the ignition. Your dashcam will “Beep” once to indicate powering up. The indicator lights will start to come on as the device powers up.

Indicator lights on the front of the Dash cam are as follows:

- REC. Light will blink steadily when device is recording properly.
- LINK. Light will stay solid when connected and streamable. Blink when signal is lost.
- GPS. Light will stay solid when connected and locatable. Blink when signal is lost.



Contact Support

Make note of each device serial number and relate it to a vehicle signifier. (Vehicle name). Also take down a more permanent identifier for each vehicle and relate it to the device serial number.

Once you get each device installed please quickly call support at 734-325-6060 to verify device is online and working properly. They can also assist naming the vehicle at that time as well.